

96-26-00

A

CONLEY, ROSE & TAYON

A Professional Corporation

Frost Bank Plaza

816 Congress Avenue, Suite 320

Austin, Texas 78701-2443

(512) 476-1400

Facsimile (512) 703-1250

Houston Office

Texas Commerce Tower

600 Travis, Suite 1850

Houston, Texas 77002-2912

(713) 238-8000

Facsimile (713) 238-8008

FILE: 5053-27900

INTELLECTUAL PROPERTY LAW

INCLUDING

PATENTS, TRADEMARKS,

COPYRIGHTS AND

UNFAIR COMPETITION

ERIC B. MEYERTONS

(512) 703-1254

emeyertons@intprop.com


June 23, 2000

"EXPRESS MAIL" MAILING LABEL

NUMBER: EL493675485US

DATE OF DEPOSIT: June 23, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "EXPRESS MAIL POST OFFICE TO ADDRESSEE" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to The Assistant Commissioner for Patents, Washington, D.C. 20231.


Debra J. Tix

ATTN: PATENT APPLICATIONS

Assistant Commissioner for Patents

Washington, D.C. 20231

Re: **U.S. Patent Application Entitled "SYSTEM AND METHOD FOR EXTERNALIZATION OF FORMULAS FOR ASSESSING DAMAGES" (COLOSSUS) -- Brian Wolfe and Allison Spann**

Sir:

Transmitted herewith for filing is a disclosure including a title page, a 17 page specification, 10 pages of claims (Claims 1-62), and a one page abstract. In addition, we have also included drawings, Figures 1a - 3, on 3 sheets. The disclosure and drawings constitute the application of Gregory Jones for the above-entitled invention.

Please note that this application is filed without an inventor Declaration and filing fees. Applicant requests the Patent and Trademark Office to accept this application and accord a serial number and filing date as of the date this application is deposited with the U.S. Postal Service for Express Mail. Further, the Applicant requests that the NOTICE OF MISSING PARTS-FILING DATE GRANTED be sent to the undersigned Applicant representative.


Assistant Commissioner for Patents
June 23, 2000
Page 2

Please address all correspondence in connection with this application to:

ERIC B. MEYERTONS
CONLEY, ROSE & TAYON, P.C.
P.O. BOX 398
AUSTIN, TEXAS 78767-0398
PH: (512) 476-1400

Please date stamp and return the enclosed postcard to evidence receipt of this application.

Respectfully submitted,




Eric B. Meyertons
Reg. No. 34,876
Attorney for Applicant

EBM:gm
Enclosures

2000 JUN 23 10 00 AM

PATENT
5053-27900

"EXPRESS MAIL" MAILING
LABEL NUMBER :
EL493675485US
DATE OF DEPOSIT JUNE 23, 2000
I HEREBY CERTIFY THAT THIS
PAPER OR FEE IS BEING
DEPOSITED WITH THE UNITED
STATES POSTAL SERVICE
"EXPRESS MAIL POST OFFICE TO
ADDRESSEE" SERVICE UNDER 37
C.F.R. § 1.10 ON THE DATE
INDICATED ABOVE AND IS
ADDRESSED TO THE
COMMISSIONER OF PATENTS
AND TRADEMARKS,
WASHINGTON, D.C. 20231


Debra J. Tix

**SYSTEM AND METHOD FOR EXTERNALIZATION OF FORMULAS
FOR ASSESSING DAMAGES**

By:

Brian Wolfe
Allison W. Spann

BACKGROUND OF THE INVENTION

1. Field of the Invention

5 The present invention generally relates to the field of insurance claims. More particularly, the present invention relates to a system and method for externalization of formulas for assessing bodily injury general damages.

2. Description of the Related Art

10 Insurance companies have been processing and settling claims associated with bodily injury for a long time. The task of evaluating, analyzing or estimating the amount of damage associated with one or more types of bodily injuries, especially trauma-induced bodily injuries, can be very complex. Complexity in the evaluation process often
15 arises out of the fact that concurrent expertise in legal, medical and insurance fields is often required to arrive at a particular decision involving a bodily injury claim.

 Several factors can affect the estimated amount of the claim associated with a bodily injury. Every accident is different and every injury is unique. Arriving at a
20 customized evaluation of a bodily injury claim, which is unique for a specific accident, injury, etc. is desirable. Applying across-the-board standards may tend to result in an inequitable solution for one or more parties involved. External environmental factors, such as the experience level of a claims adjuster, record of accomplishment of the legal professionals, post-injury quality of life for the injured party, etc., all can affect the
25 valuation of a claim.

 During the past several years, many insurance companies have been using computer-based and knowledge-based claim-processing systems to process, evaluate, analyze and estimate thousands of claims in a fair and consistent manner. A knowledge-
30 based claim-processing system includes an expert system which utilizes and builds a knowledge base to assist the user in decision making. It may allow the insurance

companies to define new rules and/or use previously defined rules, in real-time. The business rules are generally written by industry experts to evaluate legal, medical, insurance conditions before arriving at a valuation of a claim.

5 There were several drawbacks with the prior art knowledge-based system. For example, the formulas used in the prior art, lacked flexibility. The formulas used in the calculation of trauma severity values were often hard-coded in the insurance claim processing software. Every time there was a new business requirement or a trauma severity calculation needed to be changed, it was often necessary to change the source
10 code. In some cases the need to change the source code often resulted in delaying the incorporation of the updated and/or new formulas until the next system release date. Thus the insurance claim processing software was unable to adapt quickly to changing business conditions. This reduced the users' and therefore the insurance companies' flexibility to respond to changing business conditions in assessing bodily injury claims.

15 Very often, the user may have special or unique requirement, which may required that the standard formulas be modified or customized to meet a specific application. For example, different zones or geographic areas in the United States may have different monetary values associated with trauma severity for the same type of injury. The hard-
20 coding method to compute formulas, used in the previous approaches, may not easily permit the customization of the formulas in a cost and time effective manner.

25 It is, therefore, desirable to develop a new system and method for externalization of formulas for assessing bodily injury general damages. It is desirable for the formulas to be easily updateable in response to changing external business conditions. It is also desirable for the formulas to be customizable to meet specific user requirements. Thus, the new system and method for externalization of formulas should be of a flexible design, to meet unique user requirements.

SUMMARY OF THE INVENTION

5 The present invention provides various embodiments of a system and method for externalization of formulas to assess bodily injury general damages. In one embodiment, an insurance company may use an expert system to develop a knowledge base in the form of business rules and formulas to process insurance claims. In one embodiment, the formulas may be invoked by the business rules to calculate trauma severity values associated with a bodily injury insurance claim. A rules engine may execute the business
10 rules and formulas.

The task of creation and maintenance of the business formulas, used by the business rules in the assessment of claims, may be automated by the externalization of formulas. In one embodiment, the database, which is external to the rules engine, may
15 store all business rules, formulas, program instructions, data, tables, objects, etc. associated with the processing of insurance claims. In one embodiment, the database may be an object oriented or a relational database. In one embodiment, the database may include a plurality of knowledge bases often storing knowledge data in the form of tables. The data stored in the knowledge bases may also be in the form of objects. The user may
20 create a formulas data table, which is an embodiment of a knowledge base and which includes data necessary to transform the formula data to formulas. The entire set of formulas created to process insurance claims may be classified into a plurality of formula types. In one embodiment, a formula type may include a mathematical function operating on one or more inputs to compute one or more outputs. In one embodiment, new formula
25 types may be created and added to existing formula types to customize the formulas.

The transformation program, in one embodiment, reads each row of the formula data table and creates a static instance of an object in the formula class in a separate knowledge base named formulas. Business rules may invoke the static instance of
30 formula using the calculate method. In one embodiment, the calculate method gathers all of the static instances with a specified FormulaID along with a sequence number. The

calculate method then interprets the operations and controls how the formula is executed. The resulting output value may be used to calculate the trauma severity value.

- 5 By changing or modifying the data stored in the formulas data table and using the transformation method it may be possible to update the business formulas. Changing or adding new entries to the formulas types may customize the formulas.

CONFIDENTIAL

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1a is a block diagram illustrating the architecture of one embodiment of an insurance claims processing system;

5 Figure 1b illustrates one embodiment of a networked insurance claim processing system;

Figure 2 illustrates a flow chart to transform formula data to formulas for assessing bodily injury damages claims according to one embodiment; and

10 Figure 3 illustrates data elements of a formula table according to one embodiment.

While the invention is susceptible to various modifications and alternative forms, specific embodiments thereof are shown by way of example in the drawings and will herein be described in detail. It should be understood, however, that the drawings and
15 detailed description thereto are not intended to limit the invention to the particular form disclosed, but on the contrary, the intention is to cover all modifications, equivalents, and alternatives falling within the spirit and scope of the present invention as defined by the appended claims. Note, the headings are for organizational purposes only and are not meant to be used to limit or interpret the description or claims.

20

DETAILED DESCRIPTION OF SEVERAL EMBODIMENTS

Figure 1a: A block diagram illustrating the architecture of one embodiment of an insurance claims processing system

5 In Figure 1a, an embodiment of an insurance claims processing system 10 may include a computer system 20. The term "computer system" as used herein generally includes the hardware and software components that in combination allow the execution of computer programs. The computer programs may be implemented in software,
10 hardware, or a combination of software and hardware. A computer system's hardware generally includes a processor, memory media, and Input/Output (I/O) devices. As used herein, the term "processor" generally describes the logic circuitry that responds to and processes the basic instructions that operate a computer system. The term "memory" is used synonymously with "memory medium" herein. The term "memory medium" is intended to
15 include an installation medium, e.g., a CD-ROM, or floppy disks, a volatile computer system memory such as DRAM, SRAM, EDO RAM, Rambus RAM, etc., or a non-volatile memory such as optical storage or a magnetic medium, e.g., a hard drive. The memory medium may comprise other types of memory as well, or combinations thereof. In addition, the memory medium may be located in a first computer in which the programs are executed,
20 or may be located in a second different computer, which connects to the first computer over a network. In the latter instance, the second computer provides the program instructions to the first computer for execution. Also, the computer system may take various forms, including a personal computer system, mainframe computer system, workstation, network appliance, Internet appliance, personal digital assistant (PDA), television system
25 or other device. In general, the term "computer system" can be broadly defined to encompass any device having a processor, which executes instructions from a memory medium.

30 The memory medium preferably stores a software program or programs for processing insurance claims as described herein. The software program(s) may be implemented in any of various ways, including procedure-based techniques, component-

based techniques, and/or object-oriented techniques, among others. For example, the software programs may be implemented using a rule-based development tool such as PLATINUM Aion™ available from Computer Associates International, Inc. In one embodiment, PLATINUM Aion™ may combine business rule and object-oriented technologies to create and maintain complex, knowledge-intensive applications. Software developed with PLATINUM Aion™ may employ an Aion™ programming language for automation of processes which may use hundreds or thousands of business rules from a knowledge base. An Aion™ inference engine may automatically determine which rules to execute, when, and in what order. In various other embodiments, the software program may be implemented using other technologies, languages, or methodologies, as desired. A CPU, such as the host CPU, executing code and data from the memory medium includes a means for creating and executing the software program or programs according to the methods, flowcharts, and/or block diagrams described below.

A computer system's software generally includes at least one operating system, a specialized software program that manages and provides services to other software programs on the computer system. Software may also include one or more programs to perform various tasks on the computer system and various forms of data to be used by the operating system or other programs on the computer system. The data may include but are not limited to databases, text files, and graphics files. A computer system's software generally is stored in non-volatile memory or on an installation medium. A program may be copied into a volatile memory when running on the computer system. Data may be read into volatile memory, as the data is required by a program.

A server may be defined as a computer program that, when executed, provides services to other computer programs executing in the same or other computer systems. The computer system on which a server program is executing may also be referred to as a server, though it may contain a number of server and client programs. In the client/server model, a server is a program that awaits and fulfills requests from client programs in the same or other computer systems.

The insurance claims processing system 10 may further include a display screen 50 connected to the computer system 20 and an insurance database 40 residing on an internal or external storage. The database may also be referred to as a repository. As used herein, a “database” may include a collection of information from which a computer program may select a desired piece of data. As used herein, an “insurance database” is used as a synonym for a “database” when included in or coupled to an insurance claims processing system 10. System 20 includes memory 30 configured to store computer programs for execution on system 20, and a central processing unit (not shown) configured to execute instructions of computer programs residing on system 20. Claims processing program 60, also referred to as application program software 60, may be stored in memory 30. As used herein, an “insurance claims processing program” 60 may include a software program which is configured to conduct transactions regarding insurance claims, such as by estimating the value of the insurance claims, for example.

The insurance claims processing system 10 may be used by an Insurance Company for various embodiments of a system and method for externalization of formulas for assessing bodily injury general damages associated with a bodily injury insurance claim. As used herein, an Insurance Company (IC) includes a business organization that provides insurance products and/or services to customers. More particularly, the insurance products may pertain to providing insurance coverage for accidents and the trauma-induced bodily injuries that may result due to the accident. Examples of trauma-induced bodily injuries may include, but are not limited to: loss of limb(s); bone fractures; head, neck and/or spinal injury, etc.

In one embodiment, on receiving a trauma-induced bodily injury, a customer may file an insurance claim with his/her insurance organization to cover medical and other accident-related expenses. An IC may utilize a computer-based insurance claim processing system to process insurance claims. In one embodiment, the processing may include estimating a financial value associated with the filed insurance claim. The calculation of the estimated financial value may be based on the use of formulas to

calculate a trauma severity value associated with the bodily injury insurance claim. The formulas may utilize pre-defined, custom algorithms to calculate the trauma severity value.

5 As used herein, an IC business transaction may be defined as a service of an IC. Examples of business transactions include, but are not limited to: insurance transactions such as filing of claims, payment of claims, application for insurance coverage, and customized benefits, etc. Business transactions may also include services related to customers, insurance providers, employers, insurance agents, investigators, etc.

10 As used herein, an IC insurance claim processing includes a series of instructions executed by a computer system for processing an IC's business transactions. A claim processing system may include one or more processing tasks. A processing task may include a sequence of one or more processing steps or an ordered list or a structured list
15 of one or more processing steps, associated with the business transaction to be processed by the claim processing system. In one embodiment, the sequence of steps may be fixed. In another embodiment the sequence of steps may be established dynamically, in real-time. In one embodiment, the sequence of one or more steps may include an initial step, a final step, one or more intermediary steps, etc. In one embodiment, an IC user may select
20 steps to process an insurance claim in a sequential manner. In another embodiment, the IC user may select steps to process an insurance claim in a random or arbitrary manner. Examples of processing steps may include, but are not limited to: receiving an input from a user of the IC insurance claim processing system, reading a value from a database, calculating a value using a formula, updating a field in a database, displaying the results
25 of a business transaction on a computer screen, etc.

 In one embodiment, the insurance claim processing system may execute business rules in the form of program instructions in response to completion of certain steps, events, user inputs, etc. and as part of processing of the insurance claim. The rules may
30 execute or invoke formulas to compute trauma severity values used in insurance claim processing. The execution of the rules may result in one or more actions such as selection

of the next step, performing additional calculations, generating an error message, waiting for user input, etc. The specific number or type of rules executed will vary depending on the type of injuries, the type of treatments, etc. specified in the bodily injury damages claim.

5

In one embodiment, the insurance claim processing system utilizes object-oriented technology to process insurance claims and assess bodily injury damages. In another embodiment, processing of insurance claims may utilize traditional programming languages and databases to achieve the same result. Insurance objects may be defined to represent or model real-world business features of insurance products and services. Examples of insurance objects may include, but are not limited to, objects representing the following: an insurance claim; an accident report; a settlement; an estimated claim; IC service facilities, customers, and employees; business process such as a new insurance application and a formula for the calculation of a premium; interfaces to external insurance organizations; work tasks such as calculations, decisions, and assignments; temporal objects such as calendars, schedulers, and timers; and elemental data necessary to accomplish work tasks such as medical costs, risk factors, etc.

An insurance object may be represented on the computer screen by a graphical icon or by a display listing the properties of the insurance object in graphic and alphanumeric format. An insurance claim object may be configured to gather and evaluate data for processing a filed insurance claim and to automatically make decisions about the insurance claim. The one or more processing steps associated with the processing of an insurance claim may also be configured as one or more processing step objects. In one embodiment, a display screen may be associated with a processing step. The display screen may also be represented as an object. Each display screen object may include a property to point to a previous display and another property to point to a next display screen. Each property, e.g. the next display pointer on a display screen object, may be changed dynamically by using methods associated with the display screen object. One display screen object may serve as the starting point for processing insurance claims. In one embodiment, the starting point for

processing insurance claims may include acquiring an insurance claim identification number from an IC system user.

In one embodiment, during the processing of an insurance claim, a business rule and/or an IC system user input may determine that the insurance claim processing needs the execution of a formula, or take additional steps or execute tasks to continue the processing of the claim. The IC system user may provide inputs to the insurance claims processing program 60 at any display screen associated with a step. The insurance claim processing software may dynamically modify the number of steps and/or the sequence of their execution to complete the claim processing transaction. An IC system user working at a client system may then iterate through the claim processing steps and assess a bodily injury damages associated with the insurance claim.

In one embodiment, upon startup, the program 60 may provide a graphical user interface to display claims processing related information on display screen 50. It may collect user inputs, entered by using user input devices 52, and associated with insurance claims. It may process the user inputs, access an insurance database 40, use the contents of the insurance database 40 to estimate the insurance claim, and store it in memory 30 and/or insurance database 40. The program 60 may display a value of the estimated insurance claim on display screen 50. A user may view the display of the estimated insurance claim on display screen 50, and may interactively make modifications, additions, and deletions to the estimated insurance claim.

System 20 may also include one or more user input devices 52, such as a keyboard, for entering data and commands into the insurance claim program 60. It may also include one or more cursor control devices 54 such as a mouse for using a cursor to modify an insurance claim viewed on display screen 50. In response to the updating of the estimated insurance claim, the insurance claim program 60 may store the updated insurance claim in the insurance database 40.

Figure 1b: One embodiment of a networked insurance claim processing system

Figure 1b illustrates one embodiment of a networked system, configured for processing insurance claims. In this embodiment, the system is shown as a client/server system with the server systems and client systems connected by a network 62. Network 62 may be a local area network or wide area network, and may include communications links including, but not limited to: Ethernet, token ring, Internet, satellite, and modem. Insurance claims processing system 10 as illustrated in Figure 1a may be connected to network 62. The insurance claims processing system software and insurance database 40 may be distributed among the one or more servers 70 to provide a distributed processing system for insurance claim transactions. In other words, an insurance claim processing transaction being processed by the insurance claim processing system may be routed to any server based upon the workload distribution among servers 70 at the time of the transaction. Insurance claim processing system servers 70 may be located on a local area network or may be geographically dispersed in a wide area network.

One or more client systems 80 may also be connected to network 62. Client systems 80 may reside at one or more claim processing units within the insurance company. In a wide area network, client systems 80 may be geographically dispersed. Client systems 80 may be used to access insurance claim processing system servers 70 and insurance database 40. An insurance claim-processing employee may use a client system 80 to access the insurance claim processing system and execute insurance transactions. An employee may also use a client system 80 to enter insurance claim inputs into the insurance claim processing system. One or more printers 90 may also be connected to network 62 for printing documents associated with insurance claim transactions.

Various embodiments further include receiving or storing instructions and/or data implemented in accordance with the description herein upon a carrier medium. Suitable carrier media include memory media or storage media such as magnetic or optical media, e.g., disk or CD-ROM, as well as transmission media or signals such as electrical,

electromagnetic, or digital signals, conveyed via a communication medium such as networks and/or a wireless link.

Figure 2: A flow chart to transform formulas data to formulas for assessing bodily injury damages claims according to one embodiment

Figure 2 illustrates one embodiment of a method to transform formula data to formulas for assessing bodily injury damages claims according to one embodiment. In step 100, the user or the administrator of the insurance claim processing system 20 provides a rules engine, which is capable of processing rules and operating on formulas associated with assessing bodily injury damages claims. As used herein, a “rules engine” may include an expert system which is operable to produce an output as a function of a plurality of rules. A rules engine, in one embodiment, may include an expert computer system which utilizes and builds a knowledge base developed in the form of business rules and/or formulas to assist the user in decision-making. It allows the insurance companies to capture the knowledge base of their experts by defining business rules and formulas. Once created, the expertise may be used in processing many transactions, including assessing bodily injury damages claims. The business rules and formulas enable claim-processing professionals to be assisted by industry experts to evaluate legal, medical, insurance conditions during the valuation of an insurance claim. In one embodiment, the rules engine may be developed using a commercial rule-based development tool such as PLATINUM Aion™, which is available from Computer Associates International, Inc.

Business rules, often referred to simply as rules, are executable computer program instructions. The business rules may invoke, operate or execute formulas to calculate trauma severity values associated with personal bodily injury claims. In one embodiment, the formulas include computer commands or logical instructions to achieve a certain mathematical function, i.e., assess trauma severity value for a spinal injury. Each formula, in one embodiment, may include a function operating on one or more inputs to compute one or more outputs. In another embodiment, the formulas may include a

plurality of functions operating on one or more inputs to compute one or more outputs. In one embodiment, the function may be mathematical such as add, subtract, divide, etc. In another embodiment, the function may be based on custom algorithms, for example an algorithm to calculate phantom pain associated with bodily injuries. In one embodiment, the insurance claim processing system may include several formula types, wherein each formula may be specified by a unique function. The formulas may be invoked, operated, executed or fired, under the control of the business rules. Only the pertinent formulas, i.e., a subset of all the available formulas, are typically be selected and executed for processing a specific bodily injury damages claim.

In step 110, the user or the administrator of the insurance claim processing system provides a database 40, which is external to the rules engine, and is capable of storing and/or retrieving information associated with insurance claim processing. As used herein, the term “external” means that the database is separate from the rules engine. The type of information stored and/or retrieved may include, but not be limited to, business objects, tables, formulas, software source code, executable software, etc. In one embodiment, the database may be relational. In another embodiment, the database 40 may be an object-oriented database.

In one embodiment, the database 40 may include a plurality of tables, which may be accessed by a translator program, also referred to as an application program, to transform, create, generate, or instantiate the data stored in the tables into formulas. In one embodiment, the database may include a plurality of knowledge bases often storing knowledge data in the form of tables. Knowledge-bases may include, but not be limited to, data, tables, program instructions, business rules, objects, etc. The data stored in the knowledge bases may also be in the form of objects. In another embodiment, the translator program may transform data stored in tables into static instances of an object class. In one embodiment, for example, the formula data table shown by way of example in Figure 3a includes data structured in a tabular format, i.e., a table with several rows and columns. In one embodiment, the Formulas class of objects may include static instances wherein each static instance is a direct representation of a row of data in the

formula data table. Thus the formula data table may include all the relevant information necessary to transform each row of the formula data table into a static instance of the Formula object class.

5 In one embodiment, the entire set of business formulas may be grouped or classified into a plurality of formula types. Each formula may have a common construction style, e.g., a function operating on one or more inputs to compute one or more outputs. In one embodiment, there may be several hundred pre-defined formulas types. New formula types to meet user requirement may also be created and added to the existing formula type list or table. Data included in the example formulas data table shown in Figure 3a may typically include information necessary to create a static instance of the Formula object class. The formula data may include a plurality of entries in a table in a database, and the formula data may include a formula identifier 300, a sequence number 310, a section description, a page identifier, a prompt identifier, an answer identifier, a mathematical function or operation 320, a numeric value 330, and other suitable elements.

10 In step 130, the translator program initiates the transformation of data stored in the formula data table to formulas i.e. the creation of static instances of the Formula object class, by reading the formula data. In one embodiment, methods such as KBOpen and ControlLoad may be used to open and load the formulas data table. Every knowledge base table has a corresponding object class name in the insurance claim-processing program 60. For example, the formula data knowledge base table may have a corresponding formula object class. The contents of each row are read one row at a time.

25 In step 140, data entry in each column of the formulas data table is used to transform, or create an instance of the formula class object in the formulas knowledge base. The ControlLoad function determines which set of instances of the Formula class must first be deleted using DeleteInstances ('Formulas') and recreated via Class(Formulas).Load function.

Once created, the instance of the formulas class in the formulas knowledge-base may be invoked, operated, or executed by the business rules by using the calculate method with FormulaID and the sequence number as the parameters. In one embodiment, the calculate method gathers all of the static instances with a specified FormulaID along with a sequence number. The calculate method then interprets the operations and controls how the formula is executed. The resulting output value is used to calculate the trauma severity value.

Although not explicitly shown, Steps 130 and 140 may be repeated, in one embodiment, to read all rows of the formulas data table and transform the data to as many instances of the formulas class. On invocation or execution of the static instance, the insurance claim processing software 60 may compute a trauma severity value applicable to a specific bodily injury claim consultation transaction, and print a consultation report, which summarizes an assessment or estimate of the bodily injury general damages claim.

In one embodiment, the task of updating, modifying, or revising the formulas may be simplified. To update a formula, the user or the administrator of the insurance claim processing system 20 may update the data entries stored in the formulas data table. By executing steps 130 and 140, the instances of the formulas class may be automatically updated to reflect the changes.

In another embodiment, the task of customizing of formulas to meet specific user requirements may also be simplified. The customizing of formula data in response to business requirements results in customized formulas. To add a new formula type, the user or the administrator of the insurance claim processing system 20 may add a new instance of the formulas class and update the database 40. By executing steps 130 and 140, the formulas may be automatically customized to reflect the new changes.

Figure 3a: Formula Data Table in one embodiment

Figure 3a illustrate the tabular structure of the formula data table according to one embodiment. For purposes of example, four columns are illustrated for the table. In one embodiment, the table may comprise fewer or more columns. In one embodiment, the formula data table may be implemented in any number of ways, such as a relational database, in a variety of commercially available database management systems. The formula data table may have as many rows as may be supported by the database management system in which it is implemented. The formula data table may be accessed (e.g., searched, written to, read from, etc.) through a programming interface or standard access mechanism (e.g., SQL) which is supported by the database management system in which the formula data table is implemented.

Although the system and method of the present invention have been described in connection with several embodiments, the invention is not intended to be limited to the specific forms set forth herein, but on the contrary, it is intended to cover such alternatives, modifications, and equivalents as can be reasonably included within the spirit and scope of the invention as defined by the appended claims.

What is claimed is:

1. ~~A system comprising:~~
a rules engine which is operable to assess a value of an insurance claim as
a function of a plurality of rules, wherein said plurality of rules use
formulas to assess said value of said insurance claim;
a database which stores said formulas usable by said plurality of rules,
wherein said database is separate from said rules engine.
2. The system of claim 1, wherein said database stores formula data which is
transformable to said formulas, and wherein the system further comprises:
a translator program which is operable to read said formula data from said
database and transform said formula data into said formulas usable
by said plurality of rules.
3. The system of claim 2,
wherein said formula data is stored in a tabular format in said database.
4. The system of claim 2,
wherein said formula data comprises alphanumeric values stored in said
database.
5. The system of claim 2,
wherein said formulas are configured to be updated by updating said
formula data stored in said database.
6. The system of claim 2,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a formula identifier.

7. The system of claim 2,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a sequence number.

5 8. The system of claim 2,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a section description.

10 9. The system of claim 2,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a page identifier.

15 10. The system of claim 2,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a prompt identifier.

20 11. The system of claim 2,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises an answer identifier.

12. The system of claim 2,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a mathematical function.

25 13. The system of claim 2,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a numeric value.

14. The system of claim 2,

wherein said formula data are configured to be modified in response to business requirements of an insurance organization to form modified formula data.

5 15. The system of claim 2,
 wherein said formula data are configured to be modified as a function of
 business requirements of an insurance organization to form
 modified formula data;
 wherein said translator program is configured to be modified as a function
10 of business requirements of an insurance organization to form a
 modified translator program; and
 wherein said modified translator program is configured to read said
 modified formula data from said database and transform said
 modified formula data into a modified plurality of formulas.

15 16. The system of claim 1,
 wherein said formulas are usable in real-time by said plurality of rules to
 assess the value of the insurance claim.

20 17. The system of claim 1,
 wherein said insurance claim comprises a bodily injury claim, and wherein
 said value of said insurance claim comprises a bodily injury
 general damages value.

25 18. The system of claim 17,
 wherein said plurality of rules use said formulas to determine a trauma
 severity value associated with said bodily injury claim.

30 19. The system of claim 1, further comprising:
 a CPU;

a memory coupled to the CPU, wherein said rules engine comprises program instructions which are stored in said memory and executable by said CPU.

5 20. The system of claim 1,
 wherein said rules comprise logical instructions for assessing said value of
 said insurance claim.

10 21. The system of claim 1,
 wherein each rule comprises a premise and one or more resulting actions
 for assessing said value of said insurance claim.

15 22. The system of claim 1,
 wherein each of said formulas comprises one or more inputs and one or
 more functions operating on said one or more inputs to compute
 one or more outputs.

20 ~~23.~~ A method comprising:
 providing a rules engine which is operable to assess a value of an
 insurance claim as a function of a plurality of rules, wherein said
 plurality of rules use formulas to assess said value of said
 insurance claim;
 providing a database which stores formula data and said formulas for said
 plurality of rules, wherein said database is separate from said rules
25 engine;
 reading said formula data from said database; and
 transforming said formula data into said formulas usable by said plurality
 of rules.

30 24. The method of claim 23,

wherein said insurance claim comprises a bodily injury claim, and wherein
said value of said insurance claim comprises a bodily injury
general damages value.

5 25. The method of claim 24, further comprising:
 assessing said value of said insurance claim as a function of said plurality
 of rules and said plurality of formulas by determining a trauma
 severity value associated with said bodily injury claim.

10 26. The method of claim 23,
 wherein said formula data is stored in a tabular format in said database.

15 27. The method of claim 23,
 wherein said rules engine comprises program instructions which are
 executable by a computer.

20 28. The method of claim 23,
 wherein said rules comprise logical instructions for assessing said value of
 said insurance claim.

25 29. The method of claim 23,
 wherein each rule comprises a premise and one or more resulting actions
 for assessing said value of said insurance claim.

30 30. The method of claim 23,
 wherein said formulas data comprises alphanumeric values stored in said
 database.

35 31. The method of claim 23, further comprising:
 updating said formulas by updating said formula data stored in said
 database.

32. The method of claim 23, further comprising:
updating said formula data in said database;
reading said updated formula data from said database; and
transforming said updated formula data into updated formulas for use by
said plurality of rules.

33. The method of claim 23, further comprising:
modifying said formula data in response to business requirements of an
insurance organization to form customized formula data.

34. The method of claim 33, further comprising:
modifying said formulas to form modified formulas by using said
modified formula data.

35. The method of claim 23,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a formula identifier.

36. The method of claim 23,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a sequence number.

37. The method of claim 23,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a section description.

38. The method of claim 23,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a page identifier.

39. The method of claim 23,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a prompt identifier.

5 40. The method of claim 23,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises an answer identifier.

10 41. The method of claim 23,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a mathematical function.

15 42. The method of claim 23,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a numeric value.

20 43. A carrier medium comprising program instructions, wherein said program
instructions are computer-executable to implement:
providing a rules engine which is operable to assess a value of an
insurance claim as a function of a plurality of rules, wherein said
plurality of rules use formulas to assess said value of said
insurance claim;
providing a database which stores formula data and said formulas for said
plurality of rules, wherein said database is separate from said rules
25 engine;
reading said formula data from said database; and
transforming said formula data into said formulas usable by said plurality
of rules.

30 44. The carrier medium of claim 43,

wherein said insurance claim comprises a bodily injury claim, and wherein
said value of said insurance claim comprises a bodily injury
general damages value.

5 45. The carrier medium of claim 44, wherein said program instructions are
further computer-executable to implement:

 assessing said value of said insurance claim as a function of said plurality
 of rules and said plurality of formulas by determining a trauma
 severity value associated with said bodily injury claim.

10 46. The carrier medium of claim 43,
 wherein said formula data is stored in a tabular format in said database.

15 47. The carrier medium of claim 43,
 wherein said rules engine comprises program instructions which are
 executable by a computer.

20 48. The carrier medium of claim 43,
 wherein said rules comprise logical instructions for assessing said value of
 said insurance claim.

25 49. The carrier medium of claim 43,
 wherein each rule comprises a premise and one or more resulting actions
 for assessing said value of said insurance claim.

 50. The carrier medium of claim 43,
 wherein said formulas data comprises alphanumeric values stored in said
 database.

30 51. The carrier medium of claim 43, wherein said program instructions are
further computer-executable to implement:

updating said formulas by updating said formula data stored in said database.

52. The carrier medium of claim 43, wherein said program instructions are further computer-executable to implement:

updating said formula data in said database;
reading said updated formula data from said database; and
transforming said updated formula data into updated formulas for use by said plurality of rules.

53. The carrier medium of claim 43, wherein said program instructions are further computer-executable to implement:

modifying said formula data in response to business requirements of an insurance organization to form modified formula data.

54. The carrier medium of claim 53, wherein said program instructions are further computer-executable to implement:

modifying said formulas to form modified formulas by using said modified formula data.

55. The carrier medium of claim 43,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a formula identifier.

56. The carrier medium of claim 43,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a sequence number.

57. The carrier medium of claim 43,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a section description.

58. The carrier medium of claim 43,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a page identifier.

5

59. The carrier medium of claim 43,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a prompt identifier.

10

60. The carrier medium of claim 43,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises an answer identifier.

15

61. The carrier medium of claim 43,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a mathematical function.

20

62. The carrier medium of claim 43,
wherein said formula data comprises a plurality of entries in said database,
wherein at least one entry comprises a numeric value.

ABSTRACT OF THE DISCLOSURE

A method and system for externalization of formulas for assessing bodily injury general damages. An insurance company may use an expert system to develop a knowledge base in the form of business rules and formulas to process insurance claims. The business rules may execute the formulas to assist an insurance claims adjuster in assessing bodily injury general damages. The task of creation and maintenance of the formulas, used in calculating a trauma severity value, may be automated by the externalization of formulas. The user may create a formula data table and use a translator program to create a static instance of a formulas class of objects for each row in the formula data table. The business rules may invoke the calculate method to execute the formulas. Changing the data stored in the formula data table and using the translator program to create a static instance of a formulas class of objects for each row, may accomplish updating and/or customizing the formulas.




FIG. 1a




FIG. 1b




Figure 2

300	310	320	330
FormulaID	SequenceNo	Operation	Value
FID000	1	*	100
FID000	2	>	500
FID000	3	-	1200
FID001	1	+	50
FIDNNN	1	*	5
FIDNNN	2	=>	1000

Figure 3